

Sport England Active Lives survey

Lancashire Picture May 19/20



Engage in Sport / Improve Health

Inspire Communities

activelancashire.org.uk 🛛 🖬 🔊 🖾 🖻

Physical Activity guidelines for Adults

The UK Chief Medical Officer guidelines suggest:

At least **150** minutes **moderate** activity per week

NHS

Or an equivalent combination


OR

Plus **Strength exercises** at least 2 days a week At least **75** minutes **vigorous** activity per week

f 🎔 🞯 in 🕩

Active lives survey May-20 Ξ

Inactivity levels in Lancashire CSP are higher compared to England and North West and are increasing.



contact@activelancashire.org.uk

f 🔰 🛈 in 🕩 activelancashire.org.uk

Coastal & Lancaster

In the last 12 months, there were no significant changes in the inactive population in Fylde, Wyre and Lancaster

In Blackpool the inactive population significantly decreased by 9%.

Lancaster 22.2% Wyre 29.7% Fylde 22%

LOTTERY FUNDED SPORT ENGLAND


Blackpool

27.2%

Pennine

There were no significant changes in most areas except BwD. Inactivity levels increased from 24.1% to 33.9% while activity levels decreased by 8.2%

NHS



f y 🖸 in D

Central & West Lancashire

There were no significant differences in the Central & West Lancashire area in the last 12 months except Chorley. Inactivity levels in Chorley increased by 7.9%


> West Lancashire 25.1%

Preston 27.2% South Ribble 27.6% Chorley 29.2%



01772 299830 contact@activelancashire.org.uk





Lancashire

NHS

Engage in Sport / Improve Health


Inspire Communities

activelancashire.org.uk 🛛 🖪 🗩 🛛 🖿 💌

Lancashire



There was no significant changes in the last 12 months







Local Authorities

NHS

Engage in Sport / Improve Health // Insp

Inspire Communities


activelancashire.org.uk 🖪 🛩 🖾 📼

Blackburn with Darwen



f 🔰 🗿 in 🕞

There was a significant increase in the inactive population and a significant decrease in the active population during the last 12 months





Blackpool



There were positives changes in the activity levels during the last 12 months in both the inactive and active population








Burnley
















There was a significant increase in the inactivity levels during the last 12 months





f y 🖸 in D











Hyndburn








Lancaster


































Ribble Valley












Rossendale










South Ribble












West Lancashire


















f 🎔 🛈 in 🕩